

NO.: A001R191206001001 Date: Dec 6, 2019 Page 1 of 7

**Applicant:** NINGBO CHIHAN INTERNATIONAL CO.,LTD **Address:** Block B,No.42 Yaohang Street, Ningbo, China

Sample information:

Sample name: Furniture & Floor Repair Marker Ink-Bright white

Issue date: Dec 6, 2019

#### **Test Requested:**

As specified by the client, to edit Safety Data Sheet (SDS) according to OSHA HazCom 2012 Standard.

Dongguan City Chanrun Testing Technology Co.,Ltd.

Approved by:



NO.: A001R191206001001 Date: Dec 6, 2019 Page 2 of 7

## Safety Data Sheet (SDS)

### Section 1 - Chemical Product and Company Identification

#### 1.1 Identification of the chemical (substance or preparation)

Furniture & Floor Repair Marker Ink-Bright white

1.2 Company identification

**Company name:** Ningbo Chihan International Co., Ltd **Address:** Block B,No.42 Yaohang Street, Ningbo, China

**Telephone number:** 0574-87641411

E-Mail (person responsible for SDS): kevin760@chihan.com.cn

### Section 2 - Hazards Identification

2.1 GHS Hazard Categories: Skin corrosion / irritation: category 2; Eye damage/irritation: category 2;

Harm to aquatic environment: Long term harm: category 3.

#### 2.2 Pictograms:



**Signal word:** Warning **2.3 Hazard statement(s):** 

H412: Is toxic to aquatic organisms and has a long-term lasting effect.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

#### 2.4 Precautionary statement(s):

#### ·Prevention:

P260: Do not breathdust/fume/gas/mist/vapors/sprayP264: Wash skin and clothing thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### ·Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### ·Storage:

P235 Keep cool.

#### ·Disposal:

P501 Dispose of contents and container in accordance with national regulations.



NO.: A001R191206001001 Date: Dec 6, 2019 Page 3 of 7

## Section 3 - Composition/Information on Ingredient

#### 3.1 General Chemical Description

Admixture

#### 3.2 Base Substances of Preparation

#### **Composition:**

Chemical Name	In 9/ Dy Waight	CAS No.	Classification and
Chemical Name	hemical Name In % By Weight		hazard labeling
Water	45%	7732-18-5	Not classified
Water-soluble acrylic resin	30%	25767-39-9	♦ Skin Irrit, H315; ♦ Eye Irrit, H319
water-soluble acrylic resin	3070	23101-37-7	Acute tox,H412
Titanium dioxide	25%	13463-67-7	Not classified

### Section 4 - First Aid Measures

#### 4.1 General information

Exposure Route	Specific First Aid Measures		
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing.  If symptoms persist or breathing gets difficult, consult a physician immediately.		
Skin	Remove contaminated clothes and rinse the skin with plenty of water and soap, clean the soiled clothes before wearing.		
Eye contact	Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water.		
Ingestion	Do mot induce vomiting. Never give anything by mouth to an unconscious person.  Contact a doctor immediately.		

#### 4.2 Advice to doctor

Treat symptomatically and supportively.

## Section 5 - Fire Fighting Measures

#### 5.1 Suitable fire-fighting equipment

TK,	Suitable	Unsuitable
Fire fighting equipment	Mist water, dry powder, foam,carbon dioxide	-
Protection gear	Protective mask	- The same

#### 5.2 Dangerous decomposition products:

The product can not burn.



NO.: A001R191206001001 Date: Dec 6, 2019 Page 4 of 7

#### 5.3 Additional information for firefighters

Evacuate personnel to safe areas. As in any fire, Wear self-contained breathing apparatus and full protective gear for firefighting. Stand upwind.

#### Section 6 - Accidental Release Measures

#### 6.1 Personal precautions

Collect leaks. Evacuate area. Ventilate area. Use personal protective equipment: Chemical protection suit including self-contained breathing apparatus. Avoid contact with skin and eyes.

#### 6.2 Methods for cleaning up/taking up

Leakage of contaminated areas to evacuate personnel to safety, as far as possible to cut off sources of pollution, prevent access to sewers. The proposed emergency personnel wearing a dust mask (full cover), wearing work clothes. Small amount of divulgence: Clean off. Collecte in a dry, clean, covered container and transferred to safe place; Massive divulgence: Recycle or transport to waste treatment place for handling.

## Section 7 - Handling and Storage

**7.1 Handling:** Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear appropriate personal protective equipment. Keep away from the fire source, heat source, no smoking in the work place. Take care when lifting and handling in case of damaging the package. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling.

**7.2 Storage:** Keep in sealed container, place in a cool dry place. The storage place should be equipped with devices for divulgence handling and suitable shelter materials.

## Section 8 - Exposure Controls, Personal Protection

#### 8.1 Exposure controls

Occupational exposure limit:

MAC(mg/m3):No information TWA(mg/m3):No information STEL(mg/m3):No information

**Engineering control:** The production process space is closed, need to strengthen the ventilation. Make sure that there is a wash and shower in the vicinity of the workplace. Set emergency evacuation routes.

**Respiratory Protection:** No protection in normal situation. High concentration contact can wear on the filter type gas mask.

Eyes Protection: No protection in normal situation. Wear protective glasses if necessary.

Body Protection: Wear work clothes.

Hands Protection: Wear protective gloves.

Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.



NO.: A001R191206001001 Date: Dec 6, 2019 Page 5 of 7

## Section 9 - Physical and Chemical Properties

9.1 General information

Appearance: Liquid-Bright white

Odour: Slight odor

#### 9.2 Important health, safety and environmental information

Acidity/pH	Not applicable
Boiling point/boiling range	100°C
Melting point/range	Not applicable
Flash point	Not applicable
Flammability (solid, gas)	Not determined
Explosive properties	Not determined
Oxidising properties	Not determined
Vapour pressure	23 hPa (20°C)
Relative density	1.2g/cm³ (20°C)
Solubility	Not determined
Water solubility	Soluble in water
Partition coefficient: n-octanol/water	Not applicable
Viscosity	Not applicable
Vapour density	Not applicable
Evaporation rate	Not applicable

**<sup>9.3</sup> Other information:** No further relevant information available.

## Section 10 - Stability and Reactivity

#### 10.1 Conditions to avoid

Flame.

#### 10.2 Materials to avoid

Strong oxidizing agent, strong acid.

#### 10.3 Hazardous decomposition products

In normal condition of storage and use, hazardous decomposition products should not be produced.

#### 10.4 Stability

Stable under normal temperature and pressure.

#### 10.5 Hazardous Polymerization

No further relevant information available.



NO.: A001R191206001001 Date: Dec 6, 2019 Page 6 of 7

### Section 11 - Toxicological Information

Acute oral toxicity: No known significant effects or serious harm.

Acute dermal toxicity: No known significant effects or serious harm.

Acute inhalational toxicity: No known significant effects or serious harm.

Irritant effect on skin: May cause irritant.

Irritant effect on eye:Irritanting effect.

Sensitization: No known significant effects or serious harm.

Carcinogenicity: No known significant effects or serious harm.

Mutagenicity: No known significant effects or serious harm.

Reproduction toxicity: No known significant effects or serious harm.

Accumulative toxic effect: No known significant effects or serious harm.

### Section 12 - Ecological Information

#### 12.1 Ecotoxicity

The substance has influence to the aquatic organisms.

#### 12.2 Mobility

No further relevant information available.

#### 12.3 Persistence and degradability

No further relevant information available.

#### 12.4 Bioaccumulative potential

No further relevant information available.

#### 12.5 Results of PBT assessment

No further relevant information available.

#### 12.6 Environmental impact:

The substance has influence to the aquatic organisms.

## Section 13 - Disposal Considerations

- **13.1 Disposal method:** Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.
- 13.2 Disposal considerations: Choose to have certified disposal contractor.



NO.: A001R191206001001 Date: Dec 6, 2019 Page 7 of 7

### Section 14 - Transport Information

UN number:None

Risk classification: Non-dangerous goods

Land Transport ADR/RID: Not regulated for transport or dangerous goods.

Maritime Transport IMDG: Not regulated for transport or dangerous goods.

Air Transport IATA/ICAO: Not regulated for transport or dangerous goods.

Packaging Information: Packing according to customer requirements.

Transport Fashion: By sea, By air, By rail, By highway

**Transport Attentions:** No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

### Section 15 - Regulatory Information

#### **Regulatory Information:**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2013 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

《Classification and code of dangerous goods》

#### Section 16 - Additional Information

This safety data sheet was prepared in accordance with UN GHS Rev.7, OSHA HazCom 2012 Standard.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*End of SDS\*\*\*



NO.: A001R191206002001 Date: Dec 6, 2019 Page 1 of 7

**Applicant:** NINGBO CHIHAN INTERNATIONAL CO.,LTD **Address:** Block B,No.42 Yaohang Street, Ningbo, China

Sample information:

Sample name: Furniture & Floor Repair Marker Ink-Melamine white

Issue date: Dec 6, 2019

#### **Test Requested:**

As specified by the client, to edit Safety Data Sheet (SDS) according to OSHA HazCom 2012 Standard.





NO.: A001R191206002001 Date: Dec 6, 2019 Page 2 of 7

## Safety Data Sheet (SDS)

### Section 1 - Chemical Product and Company Identification

#### 1.1 Identification of the chemical (substance or preparation)

Furniture & Floor Repair Marker Ink-Melamine white

1.2 Company identification

**Company name:** Ningbo Chihan International Co., Ltd **Address:** Block B,No.42 Yaohang Street, Ningbo, China

**Telephone number:** 0574-87641411

E-Mail (person responsible for SDS): kevin760@chihan.com.cn

### Section 2 - Hazards Identification

2.1 GHS Hazard Categories: Skin corrosion / irritation: category 2; Eye damage/irritation: category 2;

Harm to aquatic environment: Long term harm: category 3.

#### 2.2 Pictograms:



## Signal word: Warning

#### 2.3 Hazard statement(s):

H412: Is toxic to aquatic organisms and has a long-term lasting effect.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

#### 2.4 Precautionary statement(s):

#### ·Prevention:

P260: Do not breathdust/fume/gas/mist/vapors/sprayP264: Wash skin and clothing thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### ·Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### ·Storage:

P235 Keep cool.

#### ·Disposal:

P501 Dispose of contents and container in accordance with national regulations.



NO.: A001R191206002001 Date: Dec 6, 2019 Page 3 of 7

## Section 3 - Composition/Information on Ingredient

#### 3.1 General Chemical Description

Admixture

#### 3.2 Base Substances of Preparation

#### **Composition:**

Chemical Name	In % Dy Waight	CAS No.	Classification and
Chemical Name	emical Name In % By Weight		hazard labeling
Water	60%	7732-18-5	Not classified
Water-soluble acrylic resin	30%	25767-39-9	♦ Skin Irrit, H315; ♦ Eye Irrit, H319
Water seraere dery ne resm	3070	25101377	Acute tox,H412
Titanium dioxide	10%	13463-67-7	Not classified

### Section 4 - First Aid Measures

#### 4.1 General information

Exposure Route	Specific First Aid Measures		
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing.  If symptoms persist or breathing gets difficult, consult a physician immediately.		
Skin	Remove contaminated clothes and rinse the skin with plenty of water and soap, clean the soiled clothes before wearing.		
Eye contact	Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water.		
Ingestion	Do mot induce vomiting. Never give anything by mouth to an unconscious person.  Contact a doctor immediately.		

#### 4.2 Advice to doctor

Treat symptomatically and supportively.

## Section 5 - Fire Fighting Measures

#### 5.1 Suitable fire-fighting equipment

TK'	Suitable	Unsuitable
Fire fighting equipment	Mist water, dry powder, foam,carbon dioxide	15 A
Protection gear	Protective mask	- THE PERSON

#### 5.2 Dangerous decomposition products:

The product can not burn.



NO.: A001R191206002001 Date: Dec 6, 2019 Page 4 of 7

#### 5.3 Additional information for firefighters

Evacuate personnel to safe areas. As in any fire, Wear self-contained breathing apparatus and full protective gear for firefighting. Stand upwind.

#### Section 6 - Accidental Release Measures

#### 6.1 Personal precautions

Collect leaks. Evacuate area. Ventilate area. Use personal protective equipment: Chemical protection suit including self-contained breathing apparatus. Avoid contact with skin and eyes.

#### 6.2 Methods for cleaning up/taking up

Leakage of contaminated areas to evacuate personnel to safety, as far as possible to cut off sources of pollution, prevent access to sewers. The proposed emergency personnel wearing a dust mask (full cover), wearing work clothes. Small amount of divulgence: Clean off. Collecte in a dry, clean, covered container and transferred to safe place; Massive divulgence: Recycle or transport to waste treatment place for handling.

## Section 7 - Handling and Storage

**7.1 Handling:** Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear appropriate personal protective equipment. Keep away from the fire source, heat source, no smoking in the work place. Take care when lifting and handling in case of damaging the package. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling.

**7.2 Storage:** Keep in sealed container, place in a cool dry place. The storage place should be equipped with devices for divulgence handling and suitable shelter materials.

## Section 8 - Exposure Controls, Personal Protection

#### 8.1 Exposure controls

Occupational exposure limit:

MAC(mg/m3):No information TWA(mg/m3):No information STEL(mg/m3):No information

**Engineering control:** The production process space is closed, need to strengthen the ventilation. Make sure that there is a wash and shower in the vicinity of the workplace. Set emergency evacuation routes.

Respiratory Protection: No protection in normal situation. High concentration contact can wear on the filter type gas mask.

Eyes Protection: No protection in normal situation. Wear protective glasses if necessary.

**Body Protection:** Wear work clothes. **Hands Protection:** Wear protective gloves.

Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.



NO.: A001R191206002001 Date: Dec 6, 2019 Page 5 of 7

## Section 9 - Physical and Chemical Properties

9.1 General information

Appearance: Liquid-Melamine white

Odour: Slight odor

9.2 Important health, safety and environmental information

1 11 7 TT	N
Acidity/pH	Not applicable
Boiling point/boiling range	100°C
Melting point/range	Not applicable
Flash point	Not applicable
Flammability (solid, gas)	Not determined
Explosive properties	Not determined
Oxidising properties	Not determined
Vapour pressure	23 hPa (20°C)
Relative density	1.2g/cm³ (20°C)
Solubility	Not determined
Water solubility	Soluble in water
Partition coefficient: n-octanol/water	Not applicable
Viscosity	Not applicable
Vapour density	Not applicable
Evaporation rate	Not applicable

**<sup>9.3</sup> Other information:** No further relevant information available.

## Section 10 - Stability and Reactivity

#### 10.1 Conditions to avoid

Flame.

#### 10.2 Materials to avoid

Strong oxidizing agent, strong acid.

#### 10.3 Hazardous decomposition products

In normal condition of storage and use, hazardous decomposition products should not be produced.

#### 10.4 Stability

Stable under normal temperature and pressure.

#### 10.5 Hazardous Polymerization

No further relevant information available.



NO.: A001R191206002001 Date: Dec 6, 2019 Page 6 of 7

### Section 11 - Toxicological Information

Acute oral toxicity: No known significant effects or serious harm.

Acute dermal toxicity: No known significant effects or serious harm.

Acute inhalational toxicity: No known significant effects or serious harm.

Irritant effect on skin: May cause irritant.

Irritant effect on eye:Irritanting effect.

Sensitization: No known significant effects or serious harm.

Carcinogenicity: No known significant effects or serious harm.

Mutagenicity: No known significant effects or serious harm.

Reproduction toxicity: No known significant effects or serious harm.

Accumulative toxic effect: No known significant effects or serious harm.

### Section 12 - Ecological Information

#### 12.1 Ecotoxicity

The substance has influence to the aquatic organisms.

#### 12.2 Mobility

No further relevant information available.

#### 12.3 Persistence and degradability

No further relevant information available.

#### 12.4 Bioaccumulative potential

No further relevant information available.

#### 12.5 Results of PBT assessment

No further relevant information available.

#### 12.6 Environmental impact:

The substance has influence to the aquatic organisms.

## Section 13 - Disposal Considerations

- **13.1 Disposal method:** Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.
- 13.2 Disposal considerations: Choose to have certified disposal contractor.



NO.: A001R191206002001 Date: Dec 6, 2019 Page 7 of 7

### Section 14 - Transport Information

UN number:None

Risk classification: Non-dangerous goods

Land Transport ADR/RID: Not regulated for transport or dangerous goods.

Maritime Transport IMDG: Not regulated for transport or dangerous goods.

Air Transport IATA/ICAO: Not regulated for transport or dangerous goods.

Packaging Information: Packing according to customer requirements.

Transport Fashion: By sea, By air, By rail, By highway

**Transport Attentions:** No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

### Section 15 - Regulatory Information

#### **Regulatory Information:**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2013 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

《Classification and code of dangerous goods》

#### Section 16 - Additional Information

This safety data sheet was prepared in accordance with UN GHS Rev.7, OSHA HazCom 2012 Standard.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*End of SDS\*\*\*



NO.: A001R191206003001 Date: Dec 6, 2019 Page 1 of 7

**Applicant:** NINGBO CHIHAN INTERNATIONAL CO.,LTD **Address:** Block B,No.42 Yaohang Street, Ningbo, China

Sample information:

Sample name: Furniture & Floor Repair Marker Ink-Ivory

Issue date: Dec 6, 2019

#### **Test Requested:**

As specified by the client, to edit Safety Data Sheet (SDS) according to OSHA HazCom 2012 Standard.





NO.: A001R191206003001 Date: Dec 6, 2019 Page 2 of 7

## Safety Data Sheet (SDS)

### Section 1 - Chemical Product and Company Identification

#### 1.1 Identification of the chemical (substance or preparation)

Furniture & Floor Repair Marker Ink-Ivory

1.2 Company identification

**Company name:** Ningbo Chihan International Co., Ltd **Address:** Block B,No.42 Yaohang Street, Ningbo, China

**Telephone number:** 0574-87641411

E-Mail (person responsible for SDS): kevin760@chihan.com.cn

### Section 2 - Hazards Identification

2.1 GHS Hazard Categories: Skin corrosion / irritation: category 2; Eye damage/irritation: category 2;

Harm to aquatic environment: Long term harm: category 3.

#### 2.2 Pictograms:



## Signal word: Warning

#### 2.3 Hazard statement(s):

H412: Is toxic to aquatic organisms and has a long-term lasting effect.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

#### 2.4 Precautionary statement(s):

#### ·Prevention:

P260: Do not breathdust/fume/gas/mist/vapors/sprayP264: Wash skin and clothing thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### ·Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### ·Storage:

P235 Keep cool.

#### ·Disposal:

P501 Dispose of contents and container in accordance with national regulations.



NO.: A001R191206003001 Date: Dec 6, 2019 Page 3 of 7

## Section 3 - Composition/Information on Ingredient

#### 3.1 General Chemical Description

Admixture

#### 3.2 Base Substances of Preparation

#### **Composition:**

-			- 10-74-11-17
Chemical Name	In % By	CAS No.	Classification and
Chemical Name	Weight		hazard labeling
Water	49%	7732-18-5	Not classified
Water caluble convlic regin	30%	25767-39-9	♦Skin Irrit, H315;♦Eye Irrit, H319
Water-soluble acrylic resin	30%	23/07-39-9	Acute tox,H412
Titanium dioxide	20%	13463-67-7	Not classified
C.I. Pigment Red 112	0.2%	6535-46-2	Not classified
CI 21100	0.8%	5102-83-0	Not classified

## Section 4 - First Aid Measures

#### 4.1 General information

	LOS BY U.S.
Exposure Route	Specific First Aid Measures
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing.  If symptoms persist or breathing gets difficult, consult a physician immediately.
Skin	Remove contaminated clothes and rinse the skin with plenty of water and soap, clean the soiled clothes before wearing.
Eye contact	Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water.
Ingestion	Do mot induce vomiting. Never give anything by mouth to an unconscious person.  Contact a doctor immediately.

#### 4.2 Advice to doctor

Treat symptomatically and supportively.

## Section 5 - Fire Fighting Measures

#### 5.1 Suitable fire-fighting equipment

4.	Suitable	Unsuitable
Fire fighting equipment	Mist water, dry powder, foam,carbon dioxide	- 27 Free
Protection gear	Protective mask	Th.

#### 5.2 Dangerous decomposition products:

The product can not burn.



NO.: A001R191206003001 Date: Dec 6, 2019 Page 4 of 7

#### 5.3 Additional information for firefighters

Evacuate personnel to safe areas. As in any fire, Wear self-contained breathing apparatus and full protective gear for firefighting. Stand upwind.

#### Section 6 - Accidental Release Measures

#### 6.1 Personal precautions

Collect leaks. Evacuate area. Ventilate area. Use personal protective equipment: Chemical protection suit including self-contained breathing apparatus. Avoid contact with skin and eyes.

#### 6.2 Methods for cleaning up/taking up

Leakage of contaminated areas to evacuate personnel to safety, as far as possible to cut off sources of pollution, prevent access to sewers. The proposed emergency personnel wearing a dust mask (full cover), wearing work clothes. Small amount of divulgence: Clean off. Collecte in a dry, clean, covered container and transferred to safe place; Massive divulgence: Recycle or transport to waste treatment place for handling.

## Section 7 - Handling and Storage

**7.1 Handling:** Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear appropriate personal protective equipment. Keep away from the fire source, heat source, no smoking in the work place. Take care when lifting and handling in case of damaging the package. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling.

**7.2 Storage:** Keep in sealed container, place in a cool dry place. The storage place should be equipped with devices for divulgence handling and suitable shelter materials.

## Section 8 - Exposure Controls, Personal Protection

#### 8.1 Exposure controls

Occupational exposure limit:

MAC(mg/m3):No information TWA(mg/m3):No information STEL(mg/m3):No information

**Engineering control:** The production process space is closed, need to strengthen the ventilation. Make sure that there is a wash and shower in the vicinity of the workplace. Set emergency evacuation routes.

**Respiratory Protection:** No protection in normal situation. High concentration contact can wear on the filter type gas mask.

Eyes Protection: No protection in normal situation. Wear protective glasses if necessary.

**Body Protection:** Wear work clothes. **Hands Protection:** Wear protective gloves.

Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.



NO.: A001R191206003001 Date: Dec 6, 2019 Page 5 of 7

## Section 9 - Physical and Chemical Properties

9.1 General informationAppearance: Liquid-Ivory

Odour: Slight odor

#### 9.2 Important health, safety and environmental information

Acidity/pH	Not applicable
Boiling point/boiling range	100°C
Melting point/range	Not applicable
Flash point	Not applicable
Flammability (solid, gas)	Not determined
Explosive properties	Not determined
Oxidising properties	Not determined
Vapour pressure	23 hPa (20°C)
Relative density	1.2g/cm³ (20°C)
Solubility	Not determined
Water solubility	Soluble in water
Partition coefficient: n-octanol/water	Not applicable
Viscosity	Not applicable
Vapour density	Not applicable
Evaporation rate	Not applicable

**<sup>9.3</sup> Other information:** No further relevant information available.

## Section 10 - Stability and Reactivity

#### 10.1 Conditions to avoid

Flame.

#### 10.2 Materials to avoid

Strong oxidizing agent, strong acid.

#### 10.3 Hazardous decomposition products

In normal condition of storage and use, hazardous decomposition products should not be produced.

#### 10.4 Stability

Stable under normal temperature and pressure.

#### 10.5 Hazardous Polymerization

No further relevant information available.



NO.: A001R191206003001 Date: Dec 6, 2019 Page 6 of 7

### Section 11 - Toxicological Information

Acute oral toxicity: No known significant effects or serious harm.

Acute dermal toxicity: No known significant effects or serious harm.

Acute inhalational toxicity: No known significant effects or serious harm.

Irritant effect on skin: May cause irritant.

Irritant effect on eye:Irritanting effect.

Sensitization: No known significant effects or serious harm.

Carcinogenicity: No known significant effects or serious harm.

Mutagenicity: No known significant effects or serious harm.

Reproduction toxicity: No known significant effects or serious harm.

Accumulative toxic effect: No known significant effects or serious harm.

### Section 12 - Ecological Information

#### 12.1 Ecotoxicity

The substance has influence to the aquatic organisms.

#### 12.2 Mobility

No further relevant information available.

#### 12.3 Persistence and degradability

No further relevant information available.

#### 12.4 Bioaccumulative potential

No further relevant information available.

#### 12.5 Results of PBT assessment

No further relevant information available.

#### 12.6 Environmental impact:

The substance has influence to the aquatic organisms.

## Section 13 - Disposal Considerations

- **13.1 Disposal method:** Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.
- 13.2 Disposal considerations: Choose to have certified disposal contractor.



NO.: A001R191206003001 Date: Dec 6, 2019 Page 7 of 7

### Section 14 - Transport Information

UN number:None

Risk classification: Non-dangerous goods

Maritime Transport IMDG: Not regulated for transport or dangerous goods.

Air Transport IATA/ICAO: Not regulated for transport or dangerous goods.

Packaging Information: Packing according to customer requirements.

Transport Fashion: By sea, By air, By rail, By highway

**Transport Attentions:** No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

### Section 15 - Regulatory Information

#### **Regulatory Information:**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2013 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

《Classification and code of dangerous goods》

#### Section 16 - Additional Information

This safety data sheet was prepared in accordance with UN GHS Rev.7, OSHA HazCom 2012 Standard.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*End of SDS\*\*\*



NO.: A001R191206004001 Date: Dec 6, 2019 Page 1 of 7

**Applicant:** NINGBO CHIHAN INTERNATIONAL CO.,LTD **Address:** Block B,No.42 Yaohang Street, Ningbo, China

Sample information:

Sample name: Furniture & Floor Repair Marker Ink-Light gray

Issue date: Dec 6, 2019

#### **Test Requested:**

As specified by the client, to edit Safety Data Sheet (SDS) according to OSHA HazCom 2012 Standard.

Dongguan City Hanrun Testing Technology Co.,Ltd.

Approved by:



NO.: A001R191206004001 Date: Dec 6, 2019 Page 2 of 7

## Safety Data Sheet (SDS)

### Section 1 - Chemical Product and Company Identification

1.1 Identification of the chemical (substance or preparation)

Furniture & Floor Repair Marker Ink-Light gray

1.2 Company identification

**Company name:** Ningbo Chihan International Co., Ltd **Address:** Block B,No.42 Yaohang Street, Ningbo, China

**Telephone number:** 0574-87641411

E-Mail (person responsible for SDS): kevin760@chihan.com.cn

### Section 2 - Hazards Identification

2.1 GHS Hazard Categories: Flammable liquid:Category 3; Specific target organ toxicity: Anesthetic effect Category 3

#### 2.2 Pictograms:



**Signal word:** Warning **2.3 Hazard statement(s):** 

H226: Flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

2.4 Precautionary statement(s):

·Prevention:

P260: Do not breathdust/fume/gas/mist/vapors/spray

P264: Wash skin and clothing thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

·Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

·Storage:

P235 Keep cool.

#### ·Disposal:

P501 Dispose of contents and container in accordance with national regulations.



NO.: A001R191206004001 Date: Dec 6, 2019 Page 3 of 7

## Section 3 - Composition/Information on Ingredient

#### 3.1 General Chemical Description

Admixture

#### 3.2 Base Substances of Preparation

#### **Composition:**

P				
Chemical Name	In % By	CAS No.	Classification and	
2018 a	Weight		hazard labeling	
Ethanol	51.3%	64-17-5	Flammable,H225	
1-Methoxy-2-propanol	32%	107-98-2	♦ Flammable, H226; ♦ Lethargy, H336	
Ketone aldehyde resin	15%	25054-06-2	Not classified	
Red 92	0.2%	18472-87-2	Not classified	
Solvent Red 8	1%	33270-70-1	Not classified	
Solvent Black 5	0.5%	11099-03-9	Not classified	

## Section 4 - First Aid Measures

#### 4.1 General information

<b>Exposure Route</b>	Specific First Aid Measures
A Comment of the Comm	Remove casualty to fresh air and keep at rest in a position comfortable for breathing.
Inhalation	If symptoms persist or breathing gets difficult, consult a physician immediately.
Skin	Remove contaminated clothes and rinse the skin with plenty of water and soap, clean the soiled clothes before wearing.
Eye contact	Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water.
Ingestion	Do mot induce vomiting. Never give anything by mouth to an unconscious person.  Contact a doctor immediately.

#### 4.2 Advice to doctor

Treat symptomatically and supportively.

## Section 5 - Fire Fighting Measures

#### 5.1 Suitable fire-fighting equipment

4	Suitable	Unsuitable
Fire fighting equipment	Mist water, dry powder, foam,carbon dioxide	- 27 Free
Protection gear	Protective mask	TK.

#### 5.2 Dangerous decomposition products:

The product can burn.



NO.: A001R191206004001 Date: Dec 6, 2019 Page 4 of 7

#### 5.3 Additional information for firefighters

Evacuate personnel to safe areas. As in any fire, Wear self-contained breathing apparatus and full protective gear for firefighting. Stand upwind.

#### Section 6 - Accidental Release Measures

#### 6.1 Personal precautions

Collect leaks. Evacuate area. Ventilate area. Use personal protective equipment: Chemical protection suit including self-contained breathing apparatus. Avoid contact with skin and eyes.

#### 6.2 Methods for cleaning up/taking up

Leakage of contaminated areas to evacuate personnel to safety, as far as possible to cut off sources of pollution, prevent access to sewers. The proposed emergency personnel wearing a dust mask (full cover), wearing work clothes. Small amount of divulgence: Clean off. Collecte in a dry, clean, covered container and transferred to safe place; Massive divulgence: Recycle or transport to waste treatment place for handling.

## Section 7 - Handling and Storage

**7.1 Handling:** Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear appropriate personal protective equipment. Keep away from the fire source, heat source, no smoking in the work place. Take care when lifting and handling in case of damaging the package. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling.

**7.2 Storage:** Keep in sealed container, place in a cool dry place. The storage place should be equipped with devices for divulgence handling and suitable shelter materials.

## Section 8 - Exposure Controls, Personal Protection

#### 8.1 Exposure controls

Occupational exposure limit:

MAC(mg/m3):No information TWA(mg/m3):No information STEL(mg/m3):No information

**Engineering control:** The production process space is closed, need to strengthen the ventilation. Make sure that there is a wash and shower in the vicinity of the workplace. Set emergency evacuation routes.

**Respiratory Protection:** No protection in normal situation. High concentration contact can wear on the filter type gas mask.

Eyes Protection: No protection in normal situation. Wear protective glasses if necessary.

**Body Protection:** Wear work clothes. **Hands Protection:** Wear protective gloves.

Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.



NO.: A001R191206004001 Date: Dec 6, 2019 Page 5 of 7

## Section 9 - Physical and Chemical Properties

#### 9.1 General information

**Appearance:** Liquid-Light gray **Odour:** Slight alcohol odor

#### 9.2 Important health, safety and environmental information

A -: 1:4-/-TI	Not and add-
Acidity/pH	Not applicable
Boiling point/boiling range	96°C
Melting point/range	Not applicable
Flash point	53°C
Flammability (solid, gas)	Not determined
Explosive properties	Not determined
Oxidising properties	Not determined
Vapour pressure	19 hPa (20°C)
Relative density	0.86g/cm³ (20°C)
Solubility	Not determined
Water solubility	Insoluble in water
Partition coefficient: n-octanol/water	Not applicable
Viscosity	Not applicable
Vapour density	Not applicable
Evaporation rate	Not applicable

**<sup>9.3</sup> Other information:** No further relevant information available.

## Section 10 - Stability and Reactivity

#### 10.1 Conditions to avoid

Flame.

#### 10.2 Materials to avoid

Strong oxidizing agent, strong acid.

#### 10.3 Hazardous decomposition products

In normal condition of storage and use, hazardous decomposition products should not be produced.

#### 10.4 Stability

Stable under normal temperature and pressure.

#### 10.5 Hazardous Polymerization

No further relevant information available.



NO.: A001R191206004001 Date: Dec 6, 2019 Page 6 of 7

### Section 11 - Toxicological Information

Acute oral toxicity: Ethanol: LD 50 (oral) 7060mg/kg(Rat); LC 50 (inhalation, 4h)39mg/L(Mouse);

1-Methoxy-2-propanol:LD 50 (oral) 5300mg/kg(Rat).

Acute dermal toxicity: No known significant effects or serious harm.

Acute inhalational toxicity: No known significant effects or serious harm.

Irritant effect on skin: No known significant effects or serious harm.

Irritant effect on eye: No known significant effects or serious harm.

Sensitization: No known significant effects or serious harm.

Carcinogenicity: No known significant effects or serious harm.

Mutagenicity: No known significant effects or serious harm.

Reproduction toxicity: No known significant effects or serious harm.

Accumulative toxic effect: No known significant effects or serious harm

### Section 12 - Ecological Information

#### 12.1 Ecotoxicity

The substance has influence to the aquatic organisms.

#### 12.2 Mobility

No further relevant information available.

#### 12.3 Persistence and degradability

No further relevant information available.

#### 12.4 Bioaccumulative potential

No further relevant information available.

#### 12.5 Results of PBT assessment

No further relevant information available.

#### 12.6 Environmental impact:

The substance has influence to the aquatic organisms.

## Section 13 - Disposal Considerations

- **13.1 Disposal method:** Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.
- 13.2 Disposal considerations: Choose to have certified disposal contractor.



NO.: A001R191206004001 Date: Dec 6, 2019 Page 7 of 7

## Section 14 - Transport Information

UN number:UN1987

Risk classification: Class 3 Flammable liquid

Land Transport ADR/RID: Class 3 dangerous goods handling.

Maritime Transport IMO IMDG: Class 3 dangerous goods handling.

Air Transport IATA/ICAO: Class 3 dangerous goods handling.

Packaging Information: III

Transport Fashion: By sea, By air, By rail, By highway

**Transport Attentions:** No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

### Section 15 - Regulatory Information

#### **Regulatory Information:**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2013 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

《Classification and code of dangerous goods》

#### Section 16 - Additional Information

This safety data sheet was prepared in accordance with UN GHS Rev.7, OSHA HazCom 2012 Standard.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*End of SDS\*\*\*



NO.: A001R191206005001 Date: Dec 6, 2019 Page 1 of 7

**Applicant:** NINGBO CHIHAN INTERNATIONAL CO.,LTD **Address:** Block B,No.42 Yaohang Street, Ningbo, China

Sample information:

Sample name: Furniture & Floor Repair Marker Ink-Medium gray

Issue date: Dec 6, 2019

#### **Test Requested:**

As specified by the client, to edit Safety Data Sheet (SDS) according to OSHA HazCom 2012 Standard.





NO.: A001R191206005001 Date: Dec 6, 2019 Page 2 of 7

### Safety Data Sheet (SDS)

### Section 1 - Chemical Product and Company Identification

1.1 Identification of the chemical (substance or preparation)

Furniture & Floor Repair Marker Ink-Medium gray

1.2 Company identification

**Company name:** Ningbo Chihan International Co., Ltd **Address:** Block B,No.42 Yaohang Street, Ningbo, China

**Telephone number:** 0574-87641411

E-Mail (person responsible for SDS): kevin760@chihan.com.cn

### Section 2 - Hazards Identification

2.1 GHS Hazard Categories: Flammable liquid:Category 3; Specific target organ toxicity: Anesthetic effect Category 3

#### 2.2 Pictograms:



Signal word: Warning
2.3 Hazard statement(s):

H226: Flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

2.4 Precautionary statement(s):

·Prevention:

P260: Do not breathdust/fume/gas/mist/vapors/spray

P264: Wash skin and clothing thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

·Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

·Storage:

P235 Keep cool.

·Disposal:

P501 Dispose of contents and container in accordance with national regulations.



NO.: A001R191206005001 Date: Dec 6, 2019 Page 3 of 7

## Section 3 - Composition/Information on Ingredient

#### 3.1 General Chemical Description

Admixture

#### 3.2 Base Substances of Preparation

#### **Composition:**

P			
Chemical Name	In % By	CAS No.	Classification and
JETB. 4	Weight		hazard labeling
Ethanol	48%	64-17-5	Flammable,H225
1-Methoxy-2-propanol	32%	107-98-2	♦ Flammable, H226; ♦ Lethargy, H336
Ketone aldehyde resin	15%	25054-06-2	Not classified
Red 92	0.5%	18472-87-2	Not classified
Solvent Red 8	3%	33270-70-1	Not classified
Solvent Black 5	1.5%	11099-03-9	Not classified

## Section 4 - First Aid Measures

#### 4.1 General information

<b>Exposure Route</b>	Specific First Aid Measures
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing.
innaration	If symptoms persist or breathing gets difficult, consult a physician immediately.
01	Remove contaminated clothes and rinse the skin with plenty of water and soap, clean
Skin	the soiled clothes before wearing.
Eye contact	Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water.
Ingestion	Do mot induce vomiting. Never give anything by mouth to an unconscious person.
	Contact a doctor immediately.

#### 4.2 Advice to doctor

Treat symptomatically and supportively.

## Section 5 - Fire Fighting Measures

#### 5.1 Suitable fire-fighting equipment

4	Suitable	Unsuitable
Fire fighting equipment	Mist water, dry powder, foam,carbon dioxide	- 27 Free
Protection gear	Protective mask	TK.

#### 5.2 Dangerous decomposition products:

The product can burn.



NO.: A001R191206005001 Date: Dec 6, 2019 Page 4 of 7

#### 5.3 Additional information for firefighters

Evacuate personnel to safe areas. As in any fire, Wear self-contained breathing apparatus and full protective gear for firefighting. Stand upwind.

#### Section 6 - Accidental Release Measures

#### 6.1 Personal precautions

Collect leaks. Evacuate area. Ventilate area. Use personal protective equipment: Chemical protection suit including self-contained breathing apparatus. Avoid contact with skin and eyes.

#### 6.2 Methods for cleaning up/taking up

Leakage of contaminated areas to evacuate personnel to safety, as far as possible to cut off sources of pollution, prevent access to sewers. The proposed emergency personnel wearing a dust mask (full cover), wearing work clothes. Small amount of divulgence: Clean off. Collecte in a dry, clean, covered container and transferred to safe place; Massive divulgence: Recycle or transport to waste treatment place for handling.

## Section 7 - Handling and Storage

**7.1 Handling:** Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear appropriate personal protective equipment. Keep away from the fire source, heat source, no smoking in the work place. Take care when lifting and handling in case of damaging the package. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling.

**7.2 Storage:** Keep in sealed container, place in a cool dry place. The storage place should be equipped with devices for divulgence handling and suitable shelter materials.

## Section 8 - Exposure Controls, Personal Protection

#### 8.1 Exposure controls

Occupational exposure limit:

MAC(mg/m3):No information TWA(mg/m3):No information STEL(mg/m3):No information

**Engineering control:** The production process space is closed, need to strengthen the ventilation. Make sure that there is a wash and shower in the vicinity of the workplace. Set emergency evacuation routes.

Respiratory Protection: No protection in normal situation. High concentration contact can wear on the filter type gas mask.

Eyes Protection: No protection in normal situation. Wear protective glasses if necessary.

**Body Protection:** Wear work clothes. **Hands Protection:** Wear protective gloves.

Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.



NO.: A001R191206005001 Date: Dec 6, 2019 Page 5 of 7

## Section 9 - Physical and Chemical Properties

9.1 General information

Appearance: Liquid-Medium gray

Odour: Slight alcohol odor

#### 9.2 Important health, safety and environmental information

Acidity/pH	Not applicable
Boiling point/boiling range	96°C
Melting point/range	Not applicable
Flash point	53°C
Flammability (solid, gas)	Not determined
Explosive properties	Not determined
Oxidising properties	Not determined
Vapour pressure	19 hPa (20°C)
Relative density	0.86g/cm³ (20°C)
Solubility	Not determined
Water solubility	Insoluble in water
Partition coefficient: n-octanol/water	Not applicable
Viscosity	Not applicable
Vapour density	Not applicable
Evaporation rate	Not applicable

**<sup>9.3</sup> Other information:** No further relevant information available.

## Section 10 - Stability and Reactivity

#### 10.1 Conditions to avoid

Flame.

#### 10.2 Materials to avoid

Strong oxidizing agent, strong acid.

#### 10.3 Hazardous decomposition products

In normal condition of storage and use, hazardous decomposition products should not be produced.

#### 10.4 Stability

Stable under normal temperature and pressure.

#### 10.5 Hazardous Polymerization

No further relevant information available.



NO.: A001R191206005001 Date: Dec 6, 2019 Page 6 of 7

### Section 11 - Toxicological Information

Acute oral toxicity: Ethanol: LD 50 (oral) 7060mg/kg(Rat); LC 50 (inhalation, 4h)39mg/L(Mouse);

1-Methoxy-2-propanol:LD 50 (oral) 5300mg/kg(Rat).

Acute dermal toxicity: No known significant effects or serious harm.

Acute inhalational toxicity: No known significant effects or serious harm.

Irritant effect on skin: No known significant effects or serious harm.

Irritant effect on eye: No known significant effects or serious harm.

Sensitization: No known significant effects or serious harm.

Carcinogenicity: No known significant effects or serious harm.

Mutagenicity: No known significant effects or serious harm.

Reproduction toxicity: No known significant effects or serious harm.

Accumulative toxic effect: No known significant effects or serious harm

### Section 12 - Ecological Information

#### 12.1 Ecotoxicity

The substance has influence to the aquatic organisms.

#### 12.2 Mobility

No further relevant information available.

#### 12.3 Persistence and degradability

No further relevant information available.

#### 12.4 Bioaccumulative potential

No further relevant information available.

#### 12.5 Results of PBT assessment

No further relevant information available.

#### 12.6 Environmental impact:

The substance has influence to the aquatic organisms.

## Section 13 - Disposal Considerations

- **13.1 Disposal method:** Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.
- 13.2 Disposal considerations: Choose to have certified disposal contractor.



NO.: A001R191206005001 Date: Dec 6, 2019 Page 7 of 7

### Section 14 - Transport Information

UN number:UN1987

Risk classification: Class 3 Flammable liquid

Land Transport ADR/RID: Class 3 dangerous goods handling.

Maritime Transport IMO IMDG: Class 3 dangerous goods handling.

Air Transport IATA/ICAO: Class 3 dangerous goods handling.

Packaging Information: III

Transport Fashion: By sea, By air, By rail, By highway

**Transport Attentions:** No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

### Section 15 - Regulatory Information

#### **Regulatory Information:**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2013 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

《Classification and code of dangerous goods》

#### Section 16 - Additional Information

This safety data sheet was prepared in accordance with UN GHS Rev.7, OSHA HazCom 2012 Standard.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*End of SDS\*\*\*



NO.: A001R191206006001 Date: Dec 6, 2019 Page 1 of 7

**Applicant:** NINGBO CHIHAN INTERNATIONAL CO.,LTD **Address:** Block B,No.42 Yaohang Street, Ningbo, China

Sample information:

Sample name: Furniture & Floor Repair Marker Ink-Dark gray

Issue date: Dec 6, 2019

#### **Test Requested:**

As specified by the client, to edit Safety Data Sheet (SDS) according to OSHA HazCom 2012 Standard.

Dongguan City Lianrun Testing Technology Co.,Ltd.

Approved by:



NO.: A001R191206006001 Date: Dec 6, 2019 Page 2 of 7

## Safety Data Sheet (SDS)

### Section 1 - Chemical Product and Company Identification

1.1 Identification of the chemical (substance or preparation)

Furniture & Floor Repair Marker Ink-Dark gray

1.2 Company identification

**Company name:** Ningbo Chihan International Co., Ltd **Address:** Block B,No.42 Yaohang Street, Ningbo, China

**Telephone number:** 0574-87641411

E-Mail (person responsible for SDS): kevin760@chihan.com.cn

### Section 2 - Hazards Identification

2.1 GHS Hazard Categories: Flammable liquid:Category 3; Specific target organ toxicity: Anesthetic effect Category 3

#### 2.2 Pictograms:



**Signal word:** Warning **2.3 Hazard statement(s):** 

H226: Flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

2.4 Precautionary statement(s):

·Prevention:

P260: Do not breathdust/fume/gas/mist/vapors/spray

P264: Wash skin and clothing thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

·Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

·Storage:

P235 Keep cool.

#### ·Disposal:

P501 Dispose of contents and container in accordance with national regulations.



NO.: A001R191206006001 Date: Dec 6, 2019 Page 3 of 7

## Section 3 - Composition/Information on Ingredient

#### 3.1 General Chemical Description

Admixture

#### 3.2 Base Substances of Preparation

#### **Composition:**

-			- 10 Table 1 T	
Chemical Name	In % By	CAS No.	Classification and	
Chemical Name	Weight	CAS No.	hazard labeling	
Ethanol	49%	64-17-5	Flammable,H225	
1-Methoxy-2-propanol	32%	107-98-2	Flammable,H226; Lethargy, H336	
Ketone aldehyde resin	15%	25054-06-2	Not classified	
Red 92	0.5%	18472-87-2	Not classified	
Solvent Red 8	1%	33270-70-1	Not classified	
Solvent Black 5	2.5%	11099-03-9	Not classified	

## Section 4 - First Aid Measures

#### 4.1 General information

	A STATE OF THE STA	
Exposure Route	Specific First Aid Measures	
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing.	
mnaration	If symptoms persist or breathing gets difficult, consult a physician immediately.	
Skin	Remove contaminated clothes and rinse the skin with plenty of water and soap, clean	
Skin	the soiled clothes before wearing.	
Eye contact	Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water.	
Ingestion	Do mot induce vomiting. Never give anything by mouth to an unconscious person.	
	Contact a doctor immediately.	

#### 4.2 Advice to doctor

Treat symptomatically and supportively.

## Section 5 - Fire Fighting Measures

#### 5.1 Suitable fire-fighting equipment

4	Suitable	Unsuitable
Fire fighting equipment	Mist water, dry powder, foam,carbon dioxide	- 27 Free
Protection gear	Protective mask	TK.

#### 5.2 Dangerous decomposition products:

The product can burn.



NO.: A001R191206006001 Date: Dec 6, 2019 Page 4 of 7

#### 5.3 Additional information for firefighters

Evacuate personnel to safe areas. As in any fire, Wear self-contained breathing apparatus and full protective gear for firefighting. Stand upwind.

#### Section 6 - Accidental Release Measures

#### 6.1 Personal precautions

Collect leaks. Evacuate area. Ventilate area. Use personal protective equipment: Chemical protection suit including self-contained breathing apparatus. Avoid contact with skin and eyes.

#### 6.2 Methods for cleaning up/taking up

Leakage of contaminated areas to evacuate personnel to safety, as far as possible to cut off sources of pollution, prevent access to sewers. The proposed emergency personnel wearing a dust mask (full cover), wearing work clothes. Small amount of divulgence: Clean off. Collecte in a dry, clean, covered container and transferred to safe place; Massive divulgence: Recycle or transport to waste treatment place for handling.

## Section 7 - Handling and Storage

**7.1 Handling:** Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear appropriate personal protective equipment. Keep away from the fire source, heat source, no smoking in the work place. Take care when lifting and handling in case of damaging the package. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling.

**7.2 Storage:** Keep in sealed container, place in a cool dry place. The storage place should be equipped with devices for divulgence handling and suitable shelter materials.

## Section 8 - Exposure Controls, Personal Protection

#### 8.1 Exposure controls

Occupational exposure limit:

MAC(mg/m3):No information TWA(mg/m3):No information STEL(mg/m3):No information

**Engineering control:** The production process space is closed, need to strengthen the ventilation. Make sure that there is a wash and shower in the vicinity of the workplace. Set emergency evacuation routes.

**Respiratory Protection:** No protection in normal situation. High concentration contact can wear on the filter type gas mask.

Eyes Protection: No protection in normal situation. Wear protective glasses if necessary.

**Body Protection:** Wear work clothes. **Hands Protection:** Wear protective gloves.

Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.



NO.: A001R191206006001 Date: Dec 6, 2019 Page 5 of 7

## Section 9 - Physical and Chemical Properties

#### 9.1 General information

**Appearance:** Liquid-Dark gray **Odour:** Slight alcohol odor

#### 9.2 Important health, safety and environmental information

Acidity/pH	Not applicable
Boiling point/boiling range	96°C
Melting point/range	Not applicable
Flash point	53°C
Flammability (solid, gas)	Not determined
Explosive properties	Not determined
Oxidising properties	Not determined
Vapour pressure	19 hPa (20°C)
Relative density	0.86g/cm³ (20°C)
Solubility	Not determined
Water solubility	Insoluble in water
Partition coefficient: n-octanol/water	Not applicable
Viscosity	Not applicable
Vapour density	Not applicable
Evaporation rate	Not applicable

**<sup>9.3</sup> Other information:** No further relevant information available.

## Section 10 - Stability and Reactivity

#### 10.1 Conditions to avoid

Flame.

#### 10.2 Materials to avoid

Strong oxidizing agent, strong acid.

#### 10.3 Hazardous decomposition products

In normal condition of storage and use, hazardous decomposition products should not be produced.

#### 10.4 Stability

Stable under normal temperature and pressure.

#### 10.5 Hazardous Polymerization

No further relevant information available.



NO.: A001R191206006001 Date: Dec 6, 2019 Page 6 of 7

### Section 11 - Toxicological Information

Acute oral toxicity: Ethanol: LD 50 (oral) 7060mg/kg(Rat); LC 50 (inhalation, 4h)39mg/L(Mouse);

1-Methoxy-2-propanol:LD 50 (oral) 5300mg/kg(Rat).

Acute dermal toxicity: No known significant effects or serious harm.

Acute inhalational toxicity: No known significant effects or serious harm.

Irritant effect on skin: No known significant effects or serious harm.

Irritant effect on eye: No known significant effects or serious harm.

Sensitization: No known significant effects or serious harm.

Carcinogenicity: No known significant effects or serious harm.

Mutagenicity: No known significant effects or serious harm.

Reproduction toxicity: No known significant effects or serious harm.

Accumulative toxic effect: No known significant effects or serious harm

### Section 12 - Ecological Information

#### 12.1 Ecotoxicity

The substance has influence to the aquatic organisms.

#### 12.2 Mobility

No further relevant information available.

#### 12.3 Persistence and degradability

No further relevant information available.

#### 12.4 Bioaccumulative potential

No further relevant information available.

#### 12.5 Results of PBT assessment

No further relevant information available.

#### 12.6 Environmental impact:

The substance has influence to the aquatic organisms.

## Section 13 - Disposal Considerations

- **13.1 Disposal method:** Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.
- 13.2 Disposal considerations: Choose to have certified disposal contractor.



NO.: A001R191206006001 Date: Dec 6, 2019 Page 7 of 7

### Section 14 - Transport Information

UN number:UN1987

Risk classification: Class 3 Flammable liquid

Land Transport ADR/RID: Class 3 dangerous goods handling.

Maritime Transport IMO IMDG: Class 3 dangerous goods handling.

Air Transport IATA/ICAO: Class 3 dangerous goods handling.

Packaging Information: III

Transport Fashion: By sea, By air, By rail, By highway

**Transport Attentions:** No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

### Section 15 - Regulatory Information

#### **Regulatory Information:**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2013 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

《Classification and code of dangerous goods》

#### Section 16 - Additional Information

This safety data sheet was prepared in accordance with UN GHS Rev.7, OSHA HazCom 2012 Standard.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*End of SDS\*\*\*